



THE COLLEGE OF  
OPTOMETRISTS

# Stage Two

## Overarching case scenario 24

**AGE AND GENDER** 35 years, Female

**ETHNIC BACKGROUND** Caucasian

**OCCUPATION AND HOBBIES.** Human Resources Director. Hobbies: Nightclubbing

**PRESENTING SYMPTOMS AND HISTORY** Four days ago right eye became uncomfortable. It was also red and 'angry' looking. Went to GP and was diagnosed as having an eye inflammation and given drops (chloramphenicol). The right eye has since become painful and vision has gone a little misty. Left eye good vision. Worried that symptoms haven't subsided, so came in for eye examination. No previous history of eye problems and does not wear spectacles (not had eye test for 10 years). Mother suffers from glaucoma.

**GENERAL HEALTH AND MEDICATION** Oral contraceptive

**PRESENT Rx, CENTRATION AND ACUITIES:** No spectacles worn

**PD/NCD** 62/58 mm

**VISION** R 6/12 N8 L 6/4 N5

**PINHOLE VISION** R 6/12- L 6/4

**REFRACTION**

R +0.25 DS

L +0.25 DS

**VA**

**Distance** R 6/12 L 6/4

**Near** R N8 L N5

**ACCOMMODATION** R 9.00 D L 9.00 D

**BINOCULAR STATUS** with and without Rx D NMD N 4 XOP

**MOTILITY** Full with no diplopia

**CONVERGENCE** 10cm

**PUPIL REACTIONS** D, C and N full but slow R & L. No RAPD

**FUNDUS EXAMINATION:** see attached

**FIELDS** Patient too uncomfortable for reliable results

**IOP** R 20mmHg L 20mmHg @ 3.30pm Perkins

**EXTERNAL EYE EXAMINATION:** see attached

# Fundus Image



# External Eye RE

(cornea on left, Iris/lens on right)



(cornea on left, lens on right)

