



THE COLLEGE OF
OPTOMETRISTS

Stage Two

Overarching case scenario 63

AGE AND GENDER Male Aged 2 years

ETHNIC BACKGROUND Chinese

OCCUPATION AND HOBBIES Attends nursery

PRESENTING SYMPTOMS AND HISTORY Patient brought by mother who was attending for regular contact lens aftercare. Maternal grandmother has noticed "turn" in patient's left eye over past few weeks. No other problems noticed. Full-term birth after normal pregnancy. Maternal grandmother wore spectacles and had patching to correct squint as a child.

GENERAL HEALTH AND MEDICATION Good, no medication: No family history of significant systemic disease.

VISION Cardiff Cards RE: 6/30 LE: 6/30

REFRACTION cycloplegic retinoscopy 1% cyclopentolate
RE: +6.50/-3.00x180 LE: +6.50/-3.00x180

VA Distance Cardiff Test RE: 6/15 LE: 6/15
Near not measured

ACCOMMODATION not attempted

BINOCULAR STATUS Pre-cyclo without Rx Near cover test no movement seen
Post-cyclo with Rx Near cover test no movement seen

MOTILITY Both eyes follow in all directions of gaze.

CONVERGENCE both eyes follow to nose

PUPIL REACTIONS (pre-cyclo) Direct and consensual reflexes seen

FUNDUS EXAMINATION Media clear; maculae healthy

EXTERNAL EYE EXAMINATION see attached

External Eyes

