

Stage Two

Overarching case scenario 95

29 year old administrator, drives, hobbies theatre, music. Plays piano.

Routine aftercare on rigid gas permeable lenses.

RGP lenses fitted 10 years ago; last aftercare 12 months ago. DV and NV good with spectacles and lenses.

Comfort good. Tried soft lenses 5 years ago but struggled with insertion and didn't feel could see as well with them as with rigid lenses.

No problems with handling.

Compliance good – washes hands before lens insertion and removal; changes CLs every year.

Uses Bausch and Lomb Simplus solution, case 2 months old, washes case with boiled water from the kettle occasionally.

Wearing time 15hrs average, 18 hours max; 7 days per week.

Lenses are 11 months old and worn 2 hours today

No ocular history

GH good, no meds. No allergies. Non smoker. Last eye exam 12/12 ago, specs updated then.

Spec Rx RE -5.75/-2.00x165 6/5 N5 LE -6.00/-1.25x10 6/5 N5

 Keratometry (B&L keratometer):
 RE 7.55 along 75; 7.95 along 165

 LE 7.65 along 100; 7.90 along 10

regular mires


Horizontal Visible Iris Diameter: 11.5mm. Vertical Palpebral Aperture Size: 9.00mm Pupil diameter dim light 6.00mm; bright light 4.00mm

Contact lens specification:

B&L Maxim ultra XORE 7.95/9.30/-5.50 6/5 N5 Over refraction planoLE 8.10/9.30/-4.75 6/5 N5 Over refraction plano

Contact lens fit Fluorescein patterns:


RE



LE



RE good centration Movement 0.4mm post blink Horizontal lag 0.2mm LE decentres down Movement 0.7mm post blink Horizontal lag 0.4mm External examination



tBUT 12 seconds R&L